

## TOOLS

### WildFire

#### Download link

<http://udurrani.com/0fff/wbtool/wf.zip>

#### UPLOAD FILES (WINDOWS)

w\_fire.exe

Provide File apikey domainName

#### CHECK HASH VERDICT (WINDOWS)

w\_hash.exe

Provide Hash apikey domainName

#### UPLOAD FILES (OSX)

w\_fire\_osx

Provide File apikey domainName Example:

#### Examples:

w\_fire.exe FileName 2347577575858585858585858585858585 wldfire.paloaltonetworks.com

w\_hash.exe HASH 2347577575858585858585858585858585 wldfire.paloaltonetworks.com

./w\_fire\_osx Filename 2347577575858585858585858585858585 wldfire.paloaltonetworks.com

## **VirusTotal:**

**Upload all files in a folder (TO VIRUSTOTAL)**

## **Download Link:**

<http://udurrani.com/0fff/wbtool/vtt-folder.zip>

## **UPLOAD FILES (WINDOWS)**

vtt.exe pathToFolder APIKey

## **Example:**

vtt.exe c:\foo 2948984982498298489285938578375835838583985938593895

## **QuickServer:**

## **Download Link:**

<http://udurrani.com/0fff/wbtool/qser.zip>

**Launch the executable called qser.exe. it listens on port 9000. You should also see a folder called foo. You can put anything in that folder and do a get on it later. This is just for quick testing reasons.**